| AMENDMENT OF SOLICITA   | ATION/MODIFI   | CATION OF CONTRACT   |                                     | 1. CONTRACT ID  | CODE         | PAGE OF       | F PAGES |
|---|--|--|-------------------------------------|---|--------------|---------------|---------|
|   |  | 1  |                                     | J   |              | 1             | 10      |
| 2. AMENDMENT/MODIFICATION NO.   | 3. EFFECTIVE DATE  | 4. REQUISITION/PURCHASE REQ. NO. W16ROE-1323-3643  |                                     | 5.  | PROJECT N    | NO.(If applic | able)   |
| 0015  | 03-Mar-2003  |  |                                     |   |              |               |         |
| •   | DACW51   | 7. ADMINISTERED BY (If other than item 6)  | )                                   | CODE  |              |               |         |
| USA ENGINEER DISTRICT, NEW YORK<br>ATTN: CENAN-CT ROOM 1843<br>26 FEDERAL PLAZA (DACW51)<br>NEW YORK NY 10278-0090  |  | See Item 6   |                                     |   |              |               |         |
| 8. NAME AND ADDRESS OF CONTRACTOR   | (No., Street, County,  | State and Zip Code)  | Х                                   | 9A. AMENDMEN<br>DACW51-02-B-00  | T OF SOI     | LICITATI      | ON NO.  |
|   |  |  |                                     | 9B. DATED (SEE<br>03-Mar-2003   | ITEM 11      | )             |         |
|   |  |  |                                     | 10A. MOD. OF Co   | ONTRAC       | T/ORDER       | NO.     |
| ann -   |  |  |                                     | 10B. DATED (SE  | EE ITEM      | 13)           |         |
| CODE 11 T   | FACILITY COD   | DE   | СІТ                                 | ATIONS  |              |               |         |
| X The above numbered solicitation is amended as set forth   |  |  |                                     |   | is not exten | ded           |         |
| Offer must acknowledge receipt of this amendment pr   |  | ·  |                                     | _   | is not exten | dcu.          |         |
| (a) By completing Items 8 and 15, and returning 1 or (c) By separate letter or telegram which includes a r RECEIVED AT THE PLACE DESIGNATED FOR TI REJECTION OF YOUR OFFER. If by virtue of this ar provided each telegram or letter makes reference to the | copies of the amendmen<br>reference to the solicitatio<br>HE RECEIPT OF OFFERS<br>nendment you desire to ch  | nt; (b) By acknowledging receipt of this amendn<br>n and amendment numbers. FAILURE OF YOU<br>S PRIOR TO THE HOUR AND DATE SPECIF<br>ange an offer already submitted, such change ma | nent o<br>UR AG<br>IED M<br>ay be i | n each copy of the offe<br>CKNOWLEDGMENT<br>MAY RESULT IN<br>made by telegram or le | ТО ВЕ        | ;             |         |
| 12. ACCOUNTING AND APPROPRIATION DA   | ATA (If required)  |  |                                     |   |              |               |         |
|   |  |  |                                     |   |              |               |         |
|   |  | ) MODIFICATIONS OF CONTRACTS<br>IT/ORDER NO. AS DESCRIBED IN IT  |                                     |   |              |               |         |
| A. THIS CHANGE ORDER IS ISSUED PUR:<br>CONTRACT ORDER NO. IN ITEM 10A.  |  |  |                                     |   | MADE IN      | ТНЕ           |         |
| B. THE ABOVE NUMBERED CONTRACT/O  |  |  |                                     |   | as change    | s in payin    | g       |
| office, appropriation date, etc.) SET FOR' C. THIS SUPPLEMENTAL AGREEMENT IS  |  |  | FAR                                 | 43.103(B).  |              |               |         |
| D. OTHER (Specify type of modification and  | authority)   |  |                                     |   |              |               |         |
| E. IMPORTANT: Contractor is not,  | is required to sig   | n this document and return   | cop                                 | ies to the issuing o  | office.      |               |         |
| <ol> <li>DESCRIPTION OF AMENDMENT/MODIFI where feasible.)</li> <li>The purpose of this amendment is to requ</li> <li>The bid due date remains 18 March 2003 at 3. All other terms and conditions remain unch</li> </ol>                                     | est offerors to provid<br>t 11:00 AM.  |  |                                     |   | oject matte  | er            |         |
| <ol> <li>Please disregard the SF 1442 attached to</li> <li>All bidders must acknowledge receipt of the methods; by telegram, or by signing block 15 b MAY RESULT IN REJECTION OF YOUR BID IN OF BIDS (FAR 14.304).</li> </ol>                               | Amendment #0014 on the color of | e date specified in the solicitation (or<br>CKNOWLEDGED AMENDMENTS BY  | as a<br>THE                         | mended) by one of DATE AND TIME   | of the follo | owing<br>ED   |         |
| Except as provided herein, all terms and conditions of the do   |  | 19A or 10A, as heretofore changed, remains und 16A. NAME AND TITLE OF CO   |                                     |   |              | or print)     |         |
| 15B. CONTRACTOR/OFFEROR   | 15C. DATE SIGNE  |  | RIC                                 |   | 160          | . DATE S      | IGNED   |
|   | STILL STOTILL  | BY   |                                     | · <del>-</del>  |              |               |         |
| (Signature of person authorized to sign)  |  | (Signature of Contracting O  | ffice                               | r)  | 03           | -Mar-200      | 3       |

## SECTION SF 30 BLOCK 14 CONTINUATION PAGE

## **SUMMARY OF CHANGES**

SECTION SF 30 - BLOCK 14 CONTINUATION PAGE Section 00010 - Solicitation Contract Form

| ITEM NO<br>0001 | SUPPLIES/SERVICES  Mobilization and Demobil FFP PURCHASE REQUEST I  |  | UNIT<br>Lump Sum   | UNIT PRICE  \$  | AMOUNT   |
|-----------------|---|--|--|---|----------|
|                 |   |  |  | NET AMT   | \$       |
| FOB:            | Destination   |  |  |   |          |
| ITEM NO<br>0002 | SUPPLIES/SERVICES   | QUANTITY<br>45,000   | UNIT<br>Cubic  | UNIT PRICE  | AMOUNT   |
|                 | Dredging, Processing, Tra<br>FFP<br>Placement - Basic work (s<br>Removal of material excep<br>below mean low water plu<br>Navigation Channel as sho<br>and 1-18) and placement of<br>disposal site furnished by | heets 6, 14 and 16<br>of ledge rock lyin<br>is 1 foot allowable<br>own on the contra<br>of dredged materia | g above the plane<br>e overdepth from<br>ct drawings, File | e of minus 35 feet<br>the Federal<br>#1225 (pages 1A, 1B, |          |
|                 |   |  |  |   | \$<br>   |
|                 |   |  |  | NET AMT   |          |
| FOB:            | Destination   |  |  |   |          |
|                 | TOTAL BASE  | BID LINE ITEM  | S 0001 AND 000   | )2\$  | <br>···· |

DACW51-02-B-0002 0015 Page 3 of 10

| ITEM NO<br>0003 | SUPPLIES/SERVICES  | QUANTITY<br>8,125  | UNIT<br>Cubic<br>Yard                                 | UNIT PRICE  | AMOU | JNT |
|-----------------|--|--|---|---|------|-----|
| OPTION          | OPTION #1<br>FFP   |  | Taid  | \$  |      |     |
|                 | Dredging Processing, Tratexcept ledge rock lying about 1 foot allowable over the contract drawings, Filedredged material at an appropriate of the contractor | pove the plane of modepth from the Fe<br>e #1225 (pages 1A | ninus 35 feet be<br>deral Navigatio<br>, 1B and 1-18) | elow mean low water<br>on Channel as shown on<br>and placement of |      |     |
|                 |  |  |   |   | \$   |     |
|                 |  |  |   | NET AMT   |      |     |
| FOB:            | Destination  |  |   |   |      |     |
| ITEM NO<br>0004 | SUPPLIES/SERVICES  | QUANTITY<br>7,610  | UNIT<br>Cubic<br>Yard                                 | UNIT PRICE  | AMOU | JNT |
| OPTION          | OPTION #2  |  | 1414  | \$  |      |     |
|                 | FFP Dredging, Processing, Tra except ledge rock lying ab plus 1 foot allowable over the contract drawings, Fil- dredged material at an app contractor        | pove the plane of modepth from the Fe #1225 (pages 1A      | ninus 35 feet bederal Navigation, 1B and 1-18)        | elow mean low water<br>on Channel as shown on<br>and placement of |      |     |
|                 |  |  |   |   | \$   |     |
|                 |  |  |   | NET AMT   |      |     |

DACW51-02-B-0002 0015 Page 4 of 10

| ITEM NO<br>0005 | SUPPLIES/SERVICES  | QUANTITY<br>3,795   | UNIT<br>Cubic<br>Centimeter                              | UNIT PRICE   | AMOUNT |
|-----------------|--|---|--|--|--------|
| OPTION          | OPTION #3<br>FFP   |   | Centimeter   | \$   |        |
|                 | Dredging, Processing, Tra<br>except ledge rock lying ab<br>plus 1 foot allowable over<br>the contract drawings, File<br>dredged material at an app<br>contractor | ove the plane of modepth from the Federal Page 14225 (pages 1A) | inus 35 feet bel<br>deral Navigation<br>, 1B and 1-18) a | ow mean low water<br>n Channel as shown on<br>and placement of |        |
|                 |  |   |  |  | \$<br> |
|                 |  |   |  | NET AMT  |        |
| FOB:            | Destination  |   |  |  |        |
| ITEM NO<br>0006 | SUPPLIES/SERVICES  | QUANTITY<br>40,765  | UNIT<br>Cubic<br>Yard                                    | UNIT PRICE   | AMOUNT |
| OPTION          | OPTION #4<br>FFP   |   | Turu   | \$   |        |
|                 | Dredging, Processing, Tra<br>except ledge rock lying ab<br>plus 1 foot allowable over<br>the contract drawings, File<br>dredged material at an app<br>contractor | pove the plane of modepth from the Feder #1225 (pages 1A,       | inus 35 feet bel<br>deral Navigation<br>(1B, and 1-18)   | ow mean low water<br>n Channel as shown on<br>and placement of |        |
|                 |  |   |  |  | \$     |
|                 |  |   |  | NET AMT  |        |

DACW51-02-B-0002 0015 Page 5 of 10

| ITEM NO<br>0007 | SUPPLIES/SERVICES  | QUANTITY<br>42,470  | UNIT<br>Cubic<br>Yard                                | UNIT PRICE  | AMOUNT |
|-----------------|--|---|--|---|--------|
| OPTION          | OPTION #5<br>FFP   |   | Taru   | \$  |        |
|                 | Dredging, Processing, Tra<br>except ledge rock lying ab<br>plus 1 foot allowable over<br>the contract drawings, File<br>dredged material at an app<br>contractor | ove the plane of m<br>depth from the Fed<br>e #1225 (pages 1A | inus 35 feet be<br>leral Navigatio<br>, 1B and 1-18) | elow mean low water<br>in Channel as shown on<br>and placement of |        |
|                 |  |   |  |   | \$<br> |
|                 |  |   |  | NET AMT   |        |
| FOB:            | Destination  |   |  |   |        |
| ITEM NO<br>0008 | SUPPLIES/SERVICES  | QUANTITY<br>2,610   | UNIT<br>Cubic<br>Yard                                | UNIT PRICE  | AMOUNT |
| OPTION          | OPTION #6<br>FFP   |   | Tara   | \$  |        |
|                 | Dredging, Processing, Tra<br>except ledge rock lying ab<br>plus 1 foot allowable over<br>the contract drawings, File<br>dredged material at an app<br>contractor | pove the plane of modepth from the Feder #1225 (pages 1A)     | inus 35 feet be<br>deral Navigatio<br>, 1B and 1-18) | elow mean low water<br>on Channel as shown on<br>and placement of |        |
|                 |  |   |  |   | \$     |
|                 |  |   |  | NET AMT   |        |

DACW51-02-B-0002 0015 Page 6 of 10

| ITEM NO<br>0009 | SUPPLIES/SERVICES  | QUANTITY<br>3,675  | UNIT<br>Cubic<br>Yard                                | UNIT PRICE  | AMOUNT |
|-----------------|--|--|--|---|--------|
| OPTION          | OPTION #7  |  | Turu   | \$  |        |
|                 | FFP Dredging, Processing, Tra except ledge rock lying at plus 1 foot allowable over the contract drawings, Filedredged material at an appropriate contractor     | ove the plane of modepth from the Feder #1225 (pages 1A) | inus 35 feet be<br>deral Navigatio<br>, 1B and 1-18) | elow mean low water<br>on Channel as shown on<br>and placement of |        |
|                 |  |  |  |   | \$<br> |
|                 |  |  |  | NET AMT   |        |
| FOB:            | Destination  |  |  |   |        |
| ITEM NO<br>0010 | SUPPLIES/SERVICES  | QUANTITY<br>1,245  | UNIT<br>Cubic<br>Yard                                | UNIT PRICE  | AMOUNT |
| OPTION          | OPTION #8<br>FFP   |  | 1 44.0   | \$  |        |
|                 | Dredging, Processing, Tra<br>except ledge rock lying ab<br>plus 1 foot allowable over<br>the contract drawings, File<br>dredged material at an app<br>contractor | ove the plane of modepth from the Feder #1225 (pages 1A) | inus 35 feet be<br>deral Navigatio<br>, 1B and 1-18) | elow mean low water<br>on Channel as shown on<br>and placement of |        |
|                 |  |  |  |   | \$     |
|                 |  |  |  | NET AMT   |        |

DACW51-02-B-0002 0015 Page 7 of 10

| ITEM NO<br>0011 | SUPPLIES/SERVICES  | QUANTITY<br>6,170  | UNIT<br>Cubic<br>Yard                                | UNIT PRICE   | AMOUNT |
|-----------------|--|--|--|--|--------|
| OPTION          | OPTION #9<br>FFP   |  | rard   | \$   |        |
|                 | Dredging, Processing, Tra<br>except ledge rock lying ab<br>plus 1 foot allowable over<br>the contract drawings, File<br>dredged material at an app<br>contractor | pove the plane of more depth from the Feder #1225 (pages 1A, | inus 35 feet be<br>deral Navigatio<br>, 1B and 1-18) | low mean low water<br>on Channel as shown on<br>and placement of |        |
|                 |  |  |  |  | \$<br> |
|                 |  |  |  | NET AMT  |        |
| FOB:            | Destination  |  |  |  |        |
| ITEM NO<br>0012 | SUPPLIES/SERVICES  | QUANTITY<br>6,085  | UNIT<br>Cubic<br>Yard                                | UNIT PRICE   | AMOUNT |
| OPTION          | OPTION #10<br>FFP  |  | Taru   | \$   |        |
|                 | Dredging, Processing, Tra<br>except ledge rock lying ab<br>plus 1 foot allowable over<br>the contract drawings, File<br>dredged material at an app<br>contractor | ove the plane of modepth from the Feder #1225 (pages 1A)     | inus 35 feet be<br>deral Navigatio<br>, 1B and 1-18) | low mean low water<br>on Channel as shown on<br>and placement of |        |
|                 |  |  |  |  | \$     |
|                 |  |  |  | NET AMT  |        |

DACW51-02-B-0002 0015 Page 8 of 10

| ITEM NO<br>0013 | SUPPLIES/SERVICES  | QUANTITY<br>2,465   | UNIT<br>Cubic   | UNIT PRICE  | AMOUNT |
|-----------------|--|---|---|---|--------|
| OPTION          | OPTION #11<br>FFP  |   | Yard  | \$  |        |
|                 | Dredging, Processing, Tra<br>except ledge rock lying ab<br>plus 1 foot allowable over<br>the contract drawings, Fil-<br>dredged material at an app<br>contractor | pove the plane of modepth from the Feder #1225 (pages 1A) | ninus 35 feet be<br>deral Navigatio<br>, 1B and 1-18) | elow mean low water<br>on Channel as shown on<br>and placement of |        |
|                 |  |   |   |   | \$     |
|                 |  |   |   | NET AMT   |        |
| FOB:            | Destination  |   |   |   |        |
| ITEM NO<br>0014 | SUPPLIES/SERVICES  | QUANTITY<br>5,650   | UNIT<br>Cubic<br>Yard                                 | UNIT PRICE  | AMOUNT |
| OPTION          | OPTION #12<br>FFP  |   | 1000  | \$  |        |
|                 | Dredging, Processing, Tra<br>except ledge rock lying at<br>plus 1 foot allowable over<br>the contract drawings, File   | pove the plane of modepth from the Feder #1225 (pages 1A) | ninus 35 feet bederal Navigation, 1B and 1-18)        | elow mean low water<br>on Channel as shown on<br>and placement of |        |
|                 | dredged material at an app<br>contractor   | proved/permitted u  | pland disposal  | site furnished by the   |        |
|                 |  |   |   |   | \$<br> |
|                 |  |   |   | NET AMT   |        |

DACW51-02-B-0002 0015 Page 9 of 10

| ITEM NO<br>0015 | SUPPLIES/SERVICES  | QUANTITY<br>15,820                                       | UNIT<br>Cubic<br>Yard                                | UNIT PRICE  | AMOUNT |
|-----------------|--|--|--|---|--------|
| OPTION          | OPTION #13   |  | Turu   | \$  |        |
|                 | FFP Dredging, Processing, Tra except ledge rock lying ab plus 1 foot allowable over the contract drawings, File dredged material at an app contractor            | ove the plane of modepth from the Feder #1225 (pages 1A) | inus 35 feet be<br>deral Navigatio<br>, 1B and 1-18) | low mean low water on Channel as shown on and placement of        |        |
|                 |  |  |  |   | \$<br> |
|                 |  |  |  | NET AMT   |        |
| FOB:            | Destination  |  |  |   |        |
| ITEM NO<br>0016 | SUPPLIES/SERVICES  | QUANTITY<br>7,235  | UNIT<br>Cubic<br>Yard                                | UNIT PRICE  | AMOUNT |
| OPTION          | OPTION #14<br>FFP  |  | Turd   | \$  |        |
|                 | Dredging, Processing, Tra<br>except ledge rock lying ab<br>plus 1 foot allowable over<br>the contract drawings, File<br>dredged material at an app<br>contractor | ove the plane of modepth from the Feder #1225 (pages 1A) | inus 35 feet be<br>deral Navigatio<br>, 1B and 1-18) | elow mean low water<br>on Channel as shown on<br>and placement of |        |
|                 |  |  |  |   | \$     |
|                 |  |  |  | NET AMT   |        |

DACW51-02-B-0002 0015 Page 10 of 10

| ITEM NO<br>0017 | SUPPLIES/SERVICES  | QUANTITY<br>3,360  | UNIT<br>Cubic<br>Yard                                 | UNIT PRICE  | AMOUNT |
|-----------------|--|--|---|---|--------|
| OPTION          | OPTION #15   |  | Tara  | \$  |        |
|                 | FFP Dredging, Processing, Tra except ledge rock lying ab plus 1 foot allowable over the contract drawings, Filedredged material at an appropriate contractor     | ove the plane of m<br>depth from the Fe<br>e #1225 (pages 1A | ninus 35 feet bed<br>deral Navigation, 1B and 1-18)   | elow mean low water<br>on Channel as shown on<br>and placement of |        |
|                 |  |  |   |   | \$<br> |
|                 |  |  |   | NET AMT   |        |
| FOB:            | Destination  |  |   |   |        |
| ITEM NO<br>0018 | SUPPLIES/SERVICES  | QUANTITY<br>2,100  | UNIT<br>Cubic<br>Yard                                 | UNIT PRICE  | AMOUNT |
| OPTION          | OPTION #16<br>FFP  |  | Taiu  | \$  |        |
|                 | Dredging, Processing, Tra<br>except ledge rock lying ab<br>plus 1 foot allowable over<br>the contract drawings, File<br>dredged material at an app<br>contractor | ove the plane of medepth from the Fe<br>e #1225 (pages 1A    | ninus 35 feet be<br>deral Navigation,<br>1B and 1-18) | elow mean low water<br>on Channel as shown on<br>and placement of |        |
|                 |  |  |   |   | \$     |
|                 |  |  |   | NET AMT   |        |
| FOB:            | Destination  |  |   |   |        |
|                 | TOTAL OPTION LINE IT   | EMS 0003 THRO  | UGH 0018  | \$  | <br>   |
| TOTA            | AL BASE BID AND OPTIO  | ON LINE ITEMS  | 0001 THROUG   | GH 0018\$   | <br>   |
| (End c          | of Summary of Changes)   |  |   |   |        |